

Sport and exercise medicine around the world: global challenges for a unique healthcare discipline

Justin Carrard ¹, Ana Morais Azevedo,^{2,3} Boris Gojanovic ⁴, Pascal Edouard ^{5,6}, Tej Pandya ⁷, Diana Gai Robinson ^{8,9}, Gürhan Dönmez ^{10,11}, Laila Ušacka ¹², Rodrigo A Martínez Stenger ^{13,14}, Luciana De Michelis Mendonça ¹⁵, Jane Thornton ¹⁶, Miguel Reis e Silva ¹⁷, Isabel Schneider ¹⁸, Johannes Zwerver ^{19,20}, Moa Jederström ²¹, Kristina Fagher ²², Omar AlSeyrafi,²³ Phathokuhle Zondi ²⁴, Fariz Ahamed ^{25,26}, Mandy Zhang ²⁷, Katja Van Oostveldt ²⁸, Norasak Suvachittanont ²⁹, Carole Akinyi Okoth ^{30,31}, Loïc Bel ³², Eloise Matthews,³³ Luke Nelson ³⁴, Karen Kotila ^{35,36}, Karsten Hollander ³⁷, Patrick J Owen ³⁸, Evert Verhagen ³⁹

To cite: Carrard J, Morais Azevedo A, Gojanovic B, et al. Sport and exercise medicine around the world: global challenges for a unique healthcare discipline. *BMJ Open Sport & Exercise Medicine* 2023;**9**:e001603. doi:10.1136/bmjsem-2023-001603

JC and AMA contributed equally., PJO and EV contributed equally.

JC and AMA are joint first authors. PJO and EV are joint senior authors.

Accepted 21 March 2023



© Author(s) (or their employer(s)) 2023. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

For numbered affiliations see end of article.

Correspondence to

Dr Justin Carrard;
justin.carrard@unibas.ch

Since October 2021, *BMJ Open Sport & Exercise Medicine* has conducted a blog series entitled: ‘*Sport and Exercise Medicine Around the World*’.¹ Sport and exercise medicine (SEM) professionals were invited to provide their perspectives on SEM in their countries by replying to the following questions:

1. What is the path to becoming a sport and exercise physician/physiotherapist/scientist in your country, and what are the main hurdles on this path?
2. How developed is collaborative work in SEM in your country?
3. Are exercise physiologists/scientists integrated into your healthcare system, and does health insurance cover their services?
4. What is done in your country to promote SEM among students and young professionals regarding research and clinical opportunities?
5. Finally, what would you change to SEM in your country if you were Harry Potter?

Twenty-five blogs have been published, written by 26 SEM professionals (20 physicians, 4 physiotherapists, 1 chiropractor and 1 exercise scientist) representing 22 countries (Europe=11, Asia=4, America=3, Africa=2, Oceania=2; [figure 1](#)) and 2 genders (50% women, 50% men). This editorial highlights our collective takeaways from these blogs and outlines potential future developments for SEM globally.

SEM: A KEY LABEL FOR A BROADER RECOGNITION

Most countries (Australia, Brazil, Canada, France, the Netherlands, New Zealand, Singapore, South Africa, Sri Lanka, Sweden, Switzerland and the UK) now use SEM to designate our discipline. In contrast, some countries (Argentina, Belgium, Germany, Latvia, Portugal, Qatar, Thailand and Turkey) still use the term sport medicine. In our opinion, adopting the term SEM globally is an essential step towards unifying a field that encompasses both the management of health issues related to physical activity (ie, sport medicine) and the prescription of exercise to prevent and treat diseases (ie, exercise medicine).² This appellation better positions SEM professionals towards policy makers as specialists uniquely equipped to manage musculoskeletal disorders, sport-related conditions and chronic diseases. In fact, in a number of countries, a key factor influencing the recognition of SEM as a stand-alone medical specialty was the impact of SEM on disease management, quality of life and healthcare costs.³

SEM EDUCATION: HETEROGENEOUS JOURNEYS TO THE GRAIL

Following the pioneer countries of Australia, New Zealand and the UK, several countries introduced a stand-alone SEM specialty for physicians (Argentina, Brazil, Latvia, Portugal, the Netherlands, Turkey, South Africa, Sri Lanka and Singapore). Interestingly, western countries traditionally



Figure 1 Geographical locations of the contributors to the blog series 'Sport and Exercise Medicine (SEM) Around the World'.

recognised for having high-quality healthcare systems, such as Belgium, Canada, France, Germany, Sweden and Switzerland, have not yet adopted the stand-alone SEM specialty model. Consequently, young physicians desiring to pursue a career in SEM must combine full clinical training in another specialty before additional training in SEM. However, such additional training is often insufficient to reach the level of expertise encountered in other medical specialties.⁴

Training paths to sport physiotherapy are equally sinuous. Following undergraduate physiotherapy training, it is often possible to enrol in a Master's degree or postgraduate diploma in sport physiotherapy. Unfortunately, sport physiotherapy is not a protected title in every country, often due to a lack of recognition by local health or sport authorities. Thus, a sport physiotherapy title may not increase professional responsibility or earnings. Regardless of the profession, pursuing a career in SEM requires a lot of enthusiasm and sacrifice, while interspecialty recognition might be lacking.

INTERDISCIPLINARITY: A CENTRAL FEATURE OF SEM

While physicians have traditionally dominated healthcare systems,⁵ SEM represents a markedly interdisciplinary culture with different professions often complementing one another.⁶ In countries such as Australia, New Zealand and South Africa, this is supported by multidisciplinary sport medicine societies that actively promote this interdisciplinary culture. In many countries, however, collaboration remains in its infancy and is often limited to private practice, high-performance or university settings.

The limited inclusion of SEM in the public healthcare system, restricted funding, and a lack of professional recognition were commonly noted as rate-limiting factors for collaboration. For example, reimbursement is often lacking for services delivered by sports psychologists, nutritionists and exercise physiologists. In Australia, New Zealand and the UK, however, clinical exercise physiologists are uniquely recognised as healthcare providers and embedded into the public healthcare system. Given the effectiveness of the services clinical exercise physiologists provide,⁷ policy makers from other countries




Figure 2 Challenges currently faced by sport and exercise medicine (SEM) and suggested solutions.

should consider how a similar recognition could curb the burden of chronic diseases.

SUGGESTIONS FOR ADVANCING SEM

Figure 2 summarises challenges in the SEM field and suggests solutions. As said by American civil rights activist Marian Wright Edelman, 'You can't be what you can't see'. Consequently, SEM should be more visible in the health-based undergraduate curricula.^{8,9} This exposure would contribute to raising awareness and unveiling vocation among students. SEM teaching should ideally be delivered interdisciplinary where lecturers and students of different backgrounds copresent.¹⁰

Additionally, it is necessary to involve SEM specialists in health-related governing bodies to better translate research findings into clinical practice, healthcare policies and insurance coverage. Establishing medical specialties for SEM and integrating sport physiotherapists and exercise scientists/physiologists more comprehensively into healthcare systems are also essential. Improving accessibility to SEM providers for patients of all conditions and athletes of all levels is another important step to ensure adequate knowledge implementation and care delivery.

To improve SEM-related knowledge, further efforts to create research opportunities for interested students and professionals are required. The combination of medical residency with doctoral/postdoctoral time and access to higher academic education (Master's degree or PhD) for allied health students should be facilitated. In addition, professor positions should be established to ensure high-quality SEM research and teaching. Ultimately, we firmly believe that patients, communities and economies would benefit from stronger SEM integration and more proactive healthcare systems.

Author affiliations

¹Division of Sport and Exercise Medicine, Department of Sport, Exercise and Health, University of Basel, Basel, Switzerland

²La Trobe Sport and Exercise Medicine Research Centre, La Trobe University, Melbourne, Victoria, Australia

³The Australian Ballet, Melbourne, Victoria, Australia

⁴Swiss Olympic Medical Center, Hôpital de La Tour, Meyrin, Geneva, Switzerland

⁵Université Jean Monnet Saint-Etienne, Lyon 1, Université Savoie Mont-Blanc, Inter-university Laboratory of Human Movement Biology (EA 7424), Saint-Etienne, France

- ⁶Department of Clinical and Exercise Physiology, Sports Medicine Unit, University Hospital of Saint-Etienne, Faculty of Medicine, Saint-Etienne, France
- ⁷Adult Critical Care Unit, The Royal London Hospital, Barts Health NHS Trust, London, UK
- ⁸Medical School, Notre Dame University, Sydney, New South Wales, Australia
- ⁹Sydney Sportsmed Specialists, Sydney, New South Wales, Australia
- ¹⁰Department of Sports Medicine, Hacettepe University Faculty of Medicine, Ankara, Turkey
- ¹¹Gençlerbirliği Sports Club, Ankara, Turkey
- ¹²Faculty of Medicine, University of Latvia, Riga, Latvia
- ¹³Dr A. Zubizarreta Hospital, Buenos Aires, Argentina
- ¹⁴Argentinian Sports Physicians Association, Buenos Aires, Argentina
- ¹⁵Physical Therapy Department, School of Physical Education, Physical Therapy and Occupational Therapy, Universidade Federal de Minas Gerais, Belo Horizonte, Brazil
- ¹⁶Western Centre for Public Health & Family Medicine, Schulich School of Medicine & Dentistry, Western University, London, Ontario, Canada
- ¹⁷Health and Performance Department, Sport Lisboa e Benfica, Lisboa, Portugal
- ¹⁸Physio-Motion - Sport treiben gesund bleiben. Sports, Exercise, and Health Advisor and Service Provider, Groebenzell, Germany
- ¹⁹Sports & Exercise Medicine, SportsValley, Gelderse Vallei Hospital, Ede, Netherlands
- ²⁰Center for Human Movement Sciences, University of Groningen, University Medical Center Groningen, Groningen, Netherlands
- ²¹Athletics Research Center, Department of Health, Medicine and Caring Sciences, Linköping University, Linköping, Sweden
- ²²Rehabilitation Medicine Research Group, Department of Health Sciences, Lund University, Lund, Sweden
- ²³Aspetar Orthopaedic and Sports Medicine Hospital, Doha, Qatar
- ²⁴High-Performance Commission, Medical Advisory Committee, South African Sports Confederation and Olympic Committee, Houghton, Johannesburg, South Africa
- ²⁵Sri Lanka Sports Medicine Association, National Hospital of Sri Lanka, Colombo, Sri Lanka
- ²⁶Sports and Exercise Medicine Unit, Colombo South Teaching Hospital, Kalubowila, Sri Lanka
- ²⁷Singapore Sport and Exercise Medicine Centre, Changi General Hospital, SingHealth, Singapore
- ²⁸Antwerp University Hospital, Antwerp, Belgium
- ²⁹Heart Institute, Samitivej Sukhumvit Hospital, Bangkok, Thailand
- ³⁰National Spinal Injury Referral Hospital, Ministry of Health, Nairobi, Kenya
- ³¹Medical Commission National Olympic Committee, Nairobi, Kenya
- ³²School of Health Professions, Bern University of Applied Sciences, Bern, Switzerland
- ³³Pinnacle Sports Physicians, Christchurch, New Zealand
- ³⁴Health & High Performance, Melbourne, Victoria, Australia
- ³⁵Danish Society of Sports Physical Therapy, Odense, Denmark
- ³⁶Boarding School of Nyborg, Nyborg, Denmark
- ³⁷Institute of Interdisciplinary Exercise Science and Sports Medicine, MSH Medical School Hamburg, Hamburg, Germany
- ³⁸Deakin University, Institute for Physical Activity and Nutrition (IPAN), School of Exercise and Nutrition Sciences, Geelong, Victoria, Australia
- ³⁹Amsterdam Collaboration on Health & Safety in Sports, Department of Public and Occupational Health, Amsterdam Movement Sciences, Amsterdam University Medical Centres, Vrije Universiteit Amsterdam, Amsterdam, Netherlands

Twitter Justin Carrard @CarrardJustin, Ana Morais Azevedo @Morais_Azevedo, Boris Gojanovic @DrSportSante, Pascal Edouard @PascalEdouard42, Tej Pandya @PandyaTej, Diana Gai Robinson @dianarobdoc, Gürhan Dönmez @gurhandonmez, Laila Ušacka @kailalailap, Luciana De Michelis Mendonça @luludemichelis, Jane Thornton @JaneSThornton, Miguel Reis e Silva @miguelreisesilv, Isabel Schneider @isi69schneider, Johannes Zwerver @HansZwerver, Moa Jederström @MJederstrom, Kristina Fagher @KristinaFagher, Phathokuhle Zondi @phatho_z, Fariz Ahamed @farizahamed, Mandy Zhang @mandy_zjj, Norasak Suvachittanont @DrNorasak, Loïc Bel @bel_loic, Luke Nelson @sportschiroluke, Karen Kotila @KarenKotila, Karsten Hollander @K_Hollander_, Patrick J Owen @PatrickOwenPhD and Evert Verhagen @evertverhagen

Acknowledgements Figures 1 and 2 were created with the online platform <https://www.canva.com> (accessed on February 16, 2023).

Contributors JC and AMA wrote the original draft. All the coauthors reviewed and edited subsequent drafts. All authors approved the final manuscript.

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Map disclaimer The inclusion of any map (including the depiction of any boundaries therein), or of any geographic or locational reference, does not imply the expression of any opinion whatsoever on the part of BMJ concerning the legal status of any country, territory, jurisdiction or area or of its authorities. Any such expression remains solely that of the relevant source and is not endorsed by BMJ. Maps are provided without any warranty of any kind, either express or implied.

Competing interests JC, AMA, PE, TP, LU, MJ, KF, NS, CAO, KH and PJO are associate editors at BMJ Open Sport and Exercise Medicine. DR is senior editor at BMJ Open Sport & Exercise Medicine, and EV is the editor-in-chief of BMJ Open Sport & Exercise Medicine. JT is editor, while PE, PZ, KK and EV are associate editors at the British Journal of Sports Medicine.

Patient consent for publication Not applicable.

Provenance and peer review Commissioned; internally peer reviewed.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iDs

Justin Carrard <http://orcid.org/0000-0002-2380-105X>
 Boris Gojanovic <http://orcid.org/0000-0001-5075-9371>
 Pascal Edouard <http://orcid.org/0000-0003-1969-3612>
 Tej Pandya <http://orcid.org/0000-0002-1816-1211>
 Diana Gai Robinson <http://orcid.org/0000-0002-2627-2309>
 Gürhan Dönmez <http://orcid.org/0000-0001-6379-669X>
 Laila Ušacka <http://orcid.org/0000-0003-1688-5926>
 Rodrigo A Martinez Stenger <http://orcid.org/0000-0002-6382-5427>
 Luciana De Michelis Mendonça <http://orcid.org/0000-0002-4495-1807>
 Jane Thornton <http://orcid.org/0000-0002-3519-7101>
 Miguel Reis e Silva <http://orcid.org/0000-0003-3814-5064>
 Isabel Schneider <http://orcid.org/0009-0000-8683-1283>
 Johannes Zwerver <http://orcid.org/0000-0002-8499-2806>
 Moa Jederström <http://orcid.org/0000-0003-0938-084X>
 Kristina Fagher <http://orcid.org/0000-0002-9524-7553>
 Phathokuhle Zondi <http://orcid.org/0000-0001-6001-5966>
 Fariz Ahamed <http://orcid.org/0009-0004-3869-1326>
 Mandy Zhang <http://orcid.org/0000-0001-5867-4241>
 Katja Van Oostveldt <http://orcid.org/0009-0009-7428-5612>
 Norasak Suvachittanont <http://orcid.org/0000-0002-0022-8369>
 Carole Akinyi Okoth <http://orcid.org/0009-0005-1187-4250>
 Loïc Bel <http://orcid.org/0000-0002-6195-6933>
 Luke Nelson <http://orcid.org/0000-0001-6470-7353>
 Karen Kotila <http://orcid.org/0000-0001-7624-6638>
 Karsten Hollander <http://orcid.org/0000-0002-5682-9665>
 Patrick J Owen <http://orcid.org/0000-0003-3924-9375>
 Evert Verhagen <http://orcid.org/0000-0001-9227-8234>

REFERENCES

- BMJ Open Sport & Exercise Medicine: The SEM Around the World blog series. 2021. Available: <https://blogs.bmj.com/bmjopensem/category/sem-around-the-world>
- Jaques R, Loosemore M. Sports and exercise medicine in undergraduate training. *Lancet* 2012;380:4–5.
- Cullen M, Batt M. Sport and exercise medicine in the united kingdom comes of age. *Br J Sports Med* 2005;39:250–1.
- Pigozzi F. Specialisation in sports medicine: the state of the sport medicine specialty training core curriculum in the european union. *Br J Sports Med* 2009;43:1085–7.
- Germov J. *Challenges to medical dominance. second opinion: an introduction to health sociology*. USA: Oxford University Press, 2019: 478–503.
- Villa FD, Villa SD, Mendes JE. Multidisciplinary sport medicine team. In: Rocha PS, Imhoff AB, Clatworthy M, et al., eds. *The*



- Sports Medicine Physician*. Cham: Springer International Publishing, 2019: 3–11.
- 7 Owen PJ, Keating SE, Askew CD, *et al*. The effectiveness of exercise physiology services during the COVID-19 pandemic: a pragmatic cohort study. *Sports Med Open* 2023;9:2.
 - 8 Greenslade K, Nelson J, Murray A, *et al*. Is medical training adequate to promote health and give patients what they need? the role of sport and exercise medicine in 21st century healthcare. *Br J Sports Med* 2023.
 - 9 Sports Medicine Department, Faculty of Medicine, Hacettepe University, Ankara, Turkey, Donmez G, Torgutalp S, *et al*. The effects of elective sports medicine internship on physical activity counselling attitude of medical students. *TurkJSportsMed* 2018;53. 10.5152/tjism.2018.109 Available: <https://www.journalofsportsmedicine.org/eng/current-issue>
 - 10 Ulrich G, Carrard J, Nigg CR, *et al*. Is healthcare a team sport? widening our lens on interprofessional collaboration and education in sport and exercise medicine. *BMJ Open Sport Exerc Med* 2022;8:e001377.